

THE WARREN COMPANY
 ERIE, PA 16506

SURPLUS MATERIALS LIST

Certifications available on most items. Please
 call the Sales Dept for pricing.
 Some items may reflect drop weight.

<u>Item No.</u>	<u>HR Rounds & Squares</u>	<u>Weight</u>	<u>Pcs</u>
10180	.375 RD HR C1018 20'	48	4
10190	.375 RD HR A36 IMPORT 20'	29	3
10440	1.125 RD HR A36 20'	5381	77
10461	1.250 RD HR A36 IMPORT 20'	334	4
10785	2.500 RD HR C1117M 16/20	675	1
10810	2.750 RD HR A572-50 18/22	1497	3
10824	2.812 RD HR C1117 20'	1521	3
11060	4.750 RD HR C1018 10-14' RL	1528	1
11125	5.500 RD HR C1045 25"	202	
11182	6.500 RD HR C1541 10'	1194	
11298	11.50 RD HR C1018 8.5'RL	3073	
11370	.875 SQ HR M1020 20'	458	
11520	2.000 SQ HR A36 IMPORT 20'	4970	
11527	2.250 SQ HR M1020/35 NP 15.9'	205	
11790	#3 RE BAR GR 60 20'	388	

<u>Item No.</u>	<u>Strip and Coil</u>	<u>Weight</u>	<u>Pcs</u>
20040	.125 X .500 P&O NP STR 20'	35	
20085	.125 X .625 P&O HR NP 20'	49	
20160	.125 X 1.250 M E HR NP 20'	12	
20220	.125 X 1.750 P&O HR STR 20'	6243	
20300	.125 X 3.500 HR STR 10.3'	398	
20560	.187 X .875 P&O HR STR 20'	767	
20605	.187 X 1.125 P&O HR STR 20'	5765	
20760	.187 X 2.750 HR NP 16'	28	1
20780	.187X3.25 P&OHR1020 10'	891	43
20840	.187 X 6.000 HR STR 20'	263	3
29028	.187X1 1008/10 PO DE OSC	1838	

<u>Item No.</u>	<u>HR Flat Bar</u>	<u>Weight</u>	<u>Pcs</u>
30060	.250 X .62 HR FL 20'	11	1
30220	.250 X 1.62 HR FL 20'	28	1
30270	.250 X 2.00 HR IMPORT 20'	5347	156
30300	.250 X 2.25 HR FL 20'	252	5
30325	.250 X 2.50 HR IMPORT 20'	6705	157
30330	.250 X 2.75 HR FL 20'	1563	27
30480	.250 X 5.00 HR FL IMPORT 20'	1360	16
30535	.250 X 12.0 HR FL 12'	363	3
30700	.375 X .50 HR FL 20'	28	2
30740	.375 X .75 HR FL 20'	19	1
30825	.375 X 1.50 HR IMPORT 20'	803	21
30830	.375 X 2.00 HR IMPORT 20'	255	4
30950	.375 X 3.00 HR FL IMPORT 20'	5474	71
31056	.375 X 12.0 HR FL 12'	3722	20
31200	.500 X 2.00 HR FL IMPORT 20'	68	1
31245	.500 X 3.00 HR FL IMPORT 20'	7334	70
31285	.500 X 4.00 HR FL IMPORT 20'	190	1
31343	.500 X 6.00 HR FL IMPORT 20'	3672	18
31370	.500 X 8.00 HR FL 12'	1785	10
31450	.625 X 1.75 HR FL 20'	4460	57
31940	1.00 X 2.00 HR MANGANESE 16'-18'RL	450	4
31960	1.00 X 1.75 HR FL NP 20'	167	1
32000	1.00 X 2.00 HR FL IMPORT 20'	539	3
32042	1.00 X 3.00 A572-50 20'	3044	14
32070	1.00 X 4.00 HR FL IMPORT 20'	272	1
32115	1.00 X 5.00 HR FL 20'	9283	26
32125	1.00 X 6.00 HR FL IMPORT 20'	1632	4
32156	1.25 X 1.75 HR FL 20'	266	
32230	1.25 X 5.50 HR FL 20'	585	
32240	1.25 X 6.00 HR FL 11'RL	352	
32656	2.50 X 3.50 HR FL 20'	5703	8

<u>Item No.</u>	<u>ANGLE</u>	<u>Weight</u>	<u>Pcs</u>
40220	1.250 X 1.25 X.187 L IMPORT	4470	151
40305	1.500 X 1.50 X.125 L IMPORT	7176	288
40330	1.500 X 1.50 X.187 L IMPORT	2196	61
40335	1.5X 1.5X.250 L IMPORT 20'	2714	57
40345	1.5X1.5 X.25 L A36 239.125"	699	15
40350	1.750 X 1.75 X.187 L IMPORT	7801	183
40461	2.000 X 2.00 X.125 L IMPORT	4864	144
40475	2.000 X 2.00 X.187 L IMPORT	6294	128
40501	2.000 X 2.00 X.250 L GV 20'	67	1
40502	2.000 X 2.00 X.250 L IMPORT	9826	151
50780	4.0X 4.0X.375 L A572 20'	434	2
50820	4.0 X 4.0 X .500 L 20'	256	1

<u>Item No.</u>	<u>BEAM & CHANNEL</u>		<u>Weight</u>	<u>Pcs</u>
70281	W 6 X 20.0#	55'	5460	4
70291	W 6 X 25.0#	50'	1250	1
70366	W 8 X 48.0#	50'	5982	2
70476	W 18 X 35.0#	50'	5250	3
70487	W 18 x 50#	40'	2000	1
71203	MC 8 X 21.4#	40'	428	
71208	MC18 X 42.7#	40'	4272	2

<u>Item No.</u>	<u>SHEET & PLATE</u>		<u>Weight</u>	<u>Pcs</u>
80365	7 GA HR	A-36 48 X 120	1248	4
82165	11 GA HR P&O GR 50	11.5 x 80	31	1
84000	14 GA HR SHEET	60.5 x 62.5	82	1
85700	16 GA SEMI-CRIT SURF60 X 144		1630	5
90120	.125 CR 1050A*	36 X 96	461	3
90870	13 GA CR	48 X 96	739	4
90970	13 GA CR	60 X 120	374	2
91400	16 GA CR 1050A	48 X 96	240	3
91970	18 GA CR	60 X 120	2200	22
92680	20 GA CR	48 X 132	34	1
93270	24 GA CR BLANKS N/P 30 X 49		404	39
99035	.050 CR 1095 48/51RC 12 X 96		111	4
100115	14 GA ALUMINIZED	48 X 96	105	1
100140	14 GA GALV	48 X 104	114	1
100405	20 GA GALVANNEAL	48 X 96	106	2
100740	28 GA GALV	36 X 96	90	5
110060	.187 HR P&O CS-B	48 X 61	10314	65
110280	.250 HR A36	72 X 288	2941	2
110971	.500 HR A514B	48 X 120	2968	3
110990	.500 HR C1015	96 X 240	14230	4
111013	.500 HR A514B	96 X 240	7222	1 .+
111170	.625 SA36	72 X 240	6272	4
111350	.750 HARDOX AR450	48 X 144	1481	
111660	1.000 AISI C1015	96 X 240	20531	3 .+
111695	1.000 33 MAX	41 x 89	1111	3
112377	1.625 AISI C1015	RW X RL	3408	2

<u>Item No.</u>	<u>COLD DRAWN</u>	<u>Weight</u>	<u>Pcs</u>
130140	.125 X .87 CD 1018 12'RL	1855	411
130380	.187 X .25 CD 1018 NP 12'RL	7	2
130520	.187 X .87 CD 1018 94"	4	1
130570	.187 X 1.37 CR 1018 12'RL	587	55
130610	.187 X 1.75 CD 1018 12'RL	274	20
130620	.187 X 2.00 CD 1018 12'RL	628	40
130720	.187 X 3.50 CD 1018 12'RL	27	1
130981	.250 X 1.50 CD 1018 12'RL	153	3
131100	.250 X 2.75 CD 1018 NP RL	870	28
131280	.250 X 8.00 CR 1018 12'RL	80	1
131540	.312 X 2.25 CD 1018 NP 12'RL	195	5
131820	.375 X 3.00 CD 1018 12'RL	46	1
131920	.375 X 5.00 CD 1018 12'RL	1455	18
132080	.500 X .62 CD 1018 12'RL	59	3
132160	.500 X 1.12 CD 1018 12'RL	23	1
132200	.500 X 1.37 CD 1018 115"	22	1
132400	.500 X 3.50 CD 1018 12'RL	504	7
132540	.500 X 7.00 CD 1018 12'RL	455	2
132720	.625 X 1.50 CD 1018 12'RL	1359	34
133120	.750 X 3.25 CD 1018 12'RL	739	6
134620	2.00 X 3.50 CD 1018 73"RL	144	1
134790	2.50 X 4.00 CD 1018 RL	264	2
134800	2.50 X 5.00 CD 1018 109"	383	1
140080	.156 RD CD 12L15X NP 12'RL	216	270
140280	.250 RD CD 1215 12'RL	6	3
140520	.322 RD CD 12L15X NP 12'RL	457	138
140540	.343 RD CD 1215 NP 12'RL	100	26
140730	.406 RD CD 12L14 N/P 142" RL	5	1
141000	.500 RD CD 1215 12'RL	48	6
141110	.562 RD CD 12L14 12'RL	21	2
141240	.625 RD CD 1117 NP 12'RL	13	1
141330	.687 RD CD LEAD NP 12'RL	30	2
141490	.750 RD CD FATIGPRF NP12'RL	126	7
141525	.812 RD CD 12L14 12'RL	697	32
141610	.980 RD CD 1045 12'RL	1233	40
142460	1.62 RD CD 1215 12'RL	875	9
142650	1.75 RD CD 12L14 12'RL	98	1
142950	2.12 RD CD 1045 30"RL	60	1
143120	2.31 RD CD 1018 NP 12'RL	862	1
143140	2.31 RD CD 1215 NP 12'RL	1413	7
143160	2.37 RD CD 1018 12'RL	617	14
143230	2.43 RD CD 12L14 NP 12'RL	1517	7
143360	2.62 RD CD 12L14 N/P 83"RL	127	1
143485	2.87 RD CD 12L14 NP 12'RL	2347	8
143560	3.00 RD CD 12L14 12'RL	1923	6
143590	3.12 RD CD 1018 12'RL	1826	4

143600	3.12 RD CD 1018	20'RL	2086	4
143630	3.25 RD CD 1018	62"RL	148	1
143750	3.37 RD CD 1018	20'RL	1793	2
143840	3.62 RD CD 1018	20'RL	3446	3
144040	5.00 RD CD 1117	12'RL	785	1
144060	5.00 RD CD 1045	147"RL	1332	1
150120	.312 HEX CD C1018	NP 12'RL	1353	396
150140	.312 HEX CD C1213	NP 12'RL	20	5
150170	.375 HEX CD C12L14	12'RL	1200	240
150210	.437 HEX CD C12L14	12'RL	317	46
150300	.562 HEX CD C1215	NP 12'RL	1315	117
150340	.625 HEX CD C1215	12'RL	2091	151
150360	.625 HEX CD C12L14	12'RL	561	25
150540	.875 HEX CD STRSPF	12'RL	27	1
150550	.937 HEX CD NP	12'RL	31	1
150690	1.250 HEX CD C12L14	12'RL	52	1
150745	1.375 HEX CD C12L14	12'RL	310	3
150860	1.687 HEX CD C1018	NP 12'RL	934	9
150985	1.875 HEX CD C12L14	731.687 HEX CD C1	63	1
160145	.250 SQ CD C12L14	12'RL	491	188
160300	.437 SQ CD C1018	12'RL	549	70
160565	.875 SQ CD C1042	NP 12'RL	774	24

<u>Item No.</u>	<u>STAINLESS</u>	<u>Weight</u>	<u>Pcs</u>
170020	.125 RD T303 11/12	8	16
170490	.375 RD T304/304L 12'	28	6
170500	.375 RD T316/316L 12'	2	
170920	.750 RD T304 74"	14	1
170990	.866 RD T304/304L 12'	123	5
171370	1.437 RD T304/304L 99"	46	1
171380	1.500 RD T303 13/14	216	3
171415	1.500 RD T410 74"	37	1
171422	1.500 RD SS- NO GRADE N/P 95"	48	1
171545	1.875 RD T304 4.9"	4	1
190040	.250 SQ T304 10/12	2	1
190110	.750 SQ T304 12'	23	1
200403	.250 X 2.500 T316 12'	25	1
200460	.375 X 1.250 T304 12/13	102	4
200500	.375X1.87/2.12 T304 NP 6'	54	3
220037	.187 T316L PVC 60 X 144	970	2
220060	.250 T310 48 X 120	597	1
230202	11 GA T304 2B N/P 48 X 120	202	1
230489	14 GA T316L 2B 60 X 144	307	1
230580	16 GA T304 #3 48 X 96	80	1
230873	18 GA T304 #4 48 X 96	64	1
230875	18 GA T304 #4 48 X 120	96	1
230920	18 GA T316L 2B 48 X 120	81	1
231090	22 GA T304 #4 48 X 120	51	1
231091	22 GA T430 #4 PVC 48 X 120	112	1
231250	24 GA T430 #4 PVC 48 X 120	40	1

<u>Item No.</u>	<u>ALUMINUM</u>	<u>Weight</u>	<u>Pcs</u>
240070	.020 MIRO AL 49 X 96	182	18
240380	.040 1100-H14 AL 47.5X116	11773	530
240580	.050 3003-H14 AL 48 X 120	314	11
241015	.090 6061-T6 AL 60 X 144	194	2
241300	.190 2024-T3B AL NP 48 X 144	186	1
250125	.312 2024-T351 48 X 144	336	1
250220	.375 6061-T651 60 X 133	297	1
260060	.125 RD 2024-T4 12'	12	60
260100	.156 RD 2011-T3 NP 12'	2	6
260140	.187 RD 2024-T4 12'	13	32
260240	.250 RD 2024-T4 12'	11	15
260500	.437 RD 6061-T6511 12'	26	11
261080	.875 RD 6061-T6511 12'	154	
270320	.875 HEX 2017-T451 12'	10	1
280060	.500 SQ 2024-T351 12'	4	1
280320	1.500 SQ 2024-T4 12'	33	1
290280	.187 X 1.00 2024-T4 12'	8	2
290365	.250 X .500 6061-T6 NP 12'	17	9
290380	.250 X .750 2024-T4 12'	7	2
290500	.250 X 2.00 2024-T4 12'	14	2
290600	.250 X 3.50 6061-T6 12'	2991	239
290635	.312 X .500 2024-T4 12'	13	5
290700	.375 X .50 6061T6 12'	3	1
290980	.50 X 3.0 2024-T4 12'	73	3
291035	.50 X 4.0 7075T651 NP 108"	22	1
291110	.62 X 2.0 6061T6511 12'	72	3
291380	1.0 X 2.5 6061T6511 12'	107	3
291437	1.25 X4.0 6061T6511 94"	48	1
300510	8.0 X 6.350# I 6061 25'	159	1
300518	1.5 X 1.5 X.21 T 6061 22'	100	5
300550	1.3 X .75 X.08 CH AL NP 20'	66	8
300555	1.5 X 1.0 X.12 CH AL NP 13'	6	1
300800	2.0 X .75 X.07 CH AL NP 10'	2	1
310044	1.2 X 1.2 X.18 L 6063 16'	8	1
310071	1.2 X .50 X.12 L AL NP 16'	49	11
310080	1.0 X .50 X.12 C 6063 12'	3	1
310100	.75 X 1.0 X.12 C 6063 16'	6	1
310140	.75 X .37 X.12 C 6063 167"	3	1
310145	.50 X .50 X.09 C 6063 16'	9	3
310300	1.0 X .75 X.12 L 6063 16'	12	3
310400	1.0 X 1.0 X.12 T AL NP 16'	4	1
310900	3.0 AL RAILING NP 181"	12	1
310920	2.3 X 2.0 X.18 C AL NP 12'	43	2
320040	.375 ODX.065W 6061T6 192"	16	1
320688	.750 SQ X.062W 6063 24'	24	1
320689	.75 SQ X.057W AL NP 15'	926	61
320734	2.00 SQ X.188W 6063 24'	24	1
320785	1.0 X .50 X.125W 6063 24'	35	1

<u>Item No.</u>	<u>EXPANDED & PERF</u>	<u>Weight</u>	<u>Pcs</u>
330592	.750 # 9 RAISD T304 48 X 96	32	1
330856	.063 .12X.18 AL PERF48 X 120	480	12
330871	16GA .09X.15 PERF48 X 96	64	1

<u>Item No.</u>	<u>RED METALS</u>	<u>Weight</u>	<u>Pcs</u>
340740	.531 RD BRASS N/P 12'	323	32
380020	.750 X .750 X.125 L NP BRASS	15	2
400380	.250 HH BRASS 8 x 36	22	1
400430	.500 HH NP BRASS RW X RL	157	4
420076	.37 OD X.03W CU TUBE NP	23	8
430100	.625 ROUND COPPER NP 41-48"	9	2
460110	.093 SCU C110 36 X 63	69	1
460450	.100 CU CDA110 22 x 52	39	1

<u>Item No.</u>	<u>TOOL STEELS</u>	<u>Weight</u>	<u>Pcs</u>
484560	.500 X 7.000 A2 FL GR ST 36"	36	1
486836	.500 X 4.00 LO CRB GR ST 24"	24	1
490100	DCF .500 RD O1 TL STL 12/13	23	2
490140	DCF .625 RD O1 TL STL 12'RL	47	2
490340	DCF 1.250 RD O1 TL STL	55	1
493240	.750 X 3.000 O1 6/8	78	1
500340	DCF 2.500 RD A2 TL STL 12/13	217	1
502620	.750 X 1.000 A2	2	1
503340	1.000 X 1.750 A2 72"l	160	1

<u>Item No.</u>	<u>ALLOYS</u>	<u>Weight</u>	<u>Pcs</u>
523715	HR 8.00 RD 4130 SR 24'RL	5205	1
523760	HR 9.00 RD 4140 QT 107"L	867	1
523952	CD .500 RD 4150 TGP 60"L	6	1
524025	CD .750 RD 4140 A 12'	2448	136
524155	CD 1.50 RD 4140 A 12'	145	2
524218	CD 1.93 RD 4140 TGP 24'	239	1
524235	CD 2.00 RD 8620 12/13	479	2
524275	CD 2.25 RD 8620 12'	305	2
526060	CD 1.25 SQ 4140/2A 12'	64	1
542900	NON TEMP 1.000 SQ N/P 11/13	265	5
545200	.812 X 1.687 FL T15 9/10	93	2
554361	1.750 RD W2 10/12	98	1

<u>Item No.</u>	<u>PLASTICS</u>	<u>SF</u>	<u>Pcs</u>
570050	.281 RD DELRIN 8/10	938	93
570100	BL#507 .281 RD DELRIN 8/10	4304	430
570460	.156 RD NYLON 8/10	30	3
570520	.312 RD NYLON 8/10	164	16
570600	.500 RD NYLON 7'	7	1
570640	.562 RD NYLON 8/10	13	1
570920	.375 SQ NYLON 2/8	136	17
570930	.500 SQ NYLON 2/8	40	5
571325	.750 RD LEXAN 8'	8	1
571360	NORM IMPACT .125 RD POLY	294	49
571365	HI-IMPACT .250 RD POLY	228	38
571370	NORM IMPACT .500 ROD POLY	138	23
571440	NORM IMPACT .500 ROD PVC	60	6
571480	NORM IMPACT .875 ROD PVC	70	7
572360	.125 ID X.250 OD L DEN POLY	120	15
572405	.500 ID X.625 OD HI IMP POLY	12	2
572555	1.000 OD X.875 ID ACRYLIC TU	12	2
572705	.250 OD X .125 ID TEFLON TU	62	10
572710	.375 OD X .250 ID TEFLON TU	75	12
600040	.060 POLYCARBONATE 48 X 96	32	1
600220	.177 ACRYLIC 48 X 96	64	2
600320	.220 POLYCARBONATE 48 X 96	64	1

<u>Item No.</u>	<u>TUBING</u>	<u>FEET</u>	<u>Pcs</u>
580006	1.00 OD X.37W STL 24'	24	1
580065	.500 ODX.120W DOM 17/24	199	10
580092	1.00 ODX.083W DOM 17/24	22	1
580108	1.00 ODX.083W STL NP 20'	20	1
580156	1.50 ODX.095W J524 HY SML20'	100	6
580159	1.50 ODX.065W HREW P&O 24'	72	3
580223	1.87 ODX.120W HREW 10'	250	25
580497	.500 SQ X #16W HRPO 20'	173	8
580538	1.00 SQ X #16W STL 20'	80	4
580634	2.00 SQ X #16W T304 20'	40	2
580869	7.00 SQ X.250W STL 40'	150	3
581121	8.0 X2.0 X.250W STL 40'	296	6
581134	10. X4.0 X.375W STL 40'	53	1
581175	4.50 ODX.156W STL 42'	520	12
581930	4.00 SCH10 304 PIPE 20'	20	1
581969	1.25 SCH5 304 WLD 21'	21	1
581970	1.25 SCH40 304 WLD 20'	0	
581995	.250 SCH40 GLV PIPE 21'	210	10
582004	.750 SCH40 WLD GLV PIPE NP 130"	11	1
582008	1.25 SCH40 WLD GLV PIPE 188"	16	1

<u>Item No.</u>	<u>THREADED ROD</u>	<u>SF</u>	<u>Pcs</u>
610025	.250-20 ZINC TH ROD 12'	24	2
610070	.437-14 TH ROD 12'	100	7.5
610130	.750-10 ZINC TH ROD 12'	12	1
610177	.312-18 T304 TH ROD 6'	108	18
610180	.375-16 T304 TH ROD N/P 6'	84	14
610183	.500-13 T304 TH ROD 6'	27	4
610470	10-32 TH ROD 6'	6	1
610530	.500-20 NF RH T ROD 6'	90	15
610890	.375-16 NC LH T ROD 3'	54	18
611080	.375-16 HI STG ALLOY 12'	132	11
611090	.500-13 HI STRG ALLOY 6'	6	1
611102	.625-11 HI STRG ALLOY 6'rl	44	2