

		SURPLUS MATERIALS LIST			
09/25/08	THE WARREN COMPANY				Certification available on most items.
	Erie, PA 16505	PH 814-838-8681			Please call our Sales Dept. for competitive pricing.
STRUCTURAL STEEL					
Item #	Description - Hot Roll, Rds & Sqs	Wt.	Item #	Description - Angle	Wt.
1-0140	.250 rd HR A-510 20'	34	04-0205	1.125 X 1.125 x .125 L 20'	108
1-1090	.375 rd HR A-510 20'	3	04-0211	1.250 X 1.250 X .125 L GV N/P	132
1-0200	.437 rd HR NO GRADE 20'	72	04-0241	1.250 X 1.250 X .187 L GV N/P	756
1-0340	.812 RD HR NO GRADE* 20'	704	04-0270	1.375 x .875 x .187 L N/P	50
1-0470	1.250 RD HR C-1045 24'	983	04-0301	1.500 x 1.500 x .125 L GV N/P	1966
1-0480	1.312 RD HR C1008/1010 8'	39	04-0341	1.500 X 1.500 X .250 L GV N/P	4075
1-0699	2.250 RD HR C1018 40'	7568	04-0359	1.750 X 1.750 X .187 L GV N/P	893
1-0790	2.500 RD HR C1025 N/P	501	04-0481	2.000 x 2.000 x .187 L GV N/P	3408
1-0785	2.500 RD HR C-1117M 18/20	675	04-0501	2.000 X 2.000 X .250 L GV N/P 30"	92
1-0800	2.625 RD HR C-1018/20 20'	629	04-0600	2.500 x 2.000 x .187 L 13'	36
1-0823	2.750 RD HR C1018 Mod 20'	526	04-0681	2.500 x 2.500 x .250 L GV N/P	43
1-0824	2.812 RD HR C-1117 20'	1521	05-0030	3.000 X 2.000 X .187 ANGLE N/P	614
1-0845	3.000 RD HR No Grade 18'	452	5-0120	3.000 x 2.000 x .500 ANGLE	1922
1-0920	3.750 RD HR C-1541 11'	364	05-0130	3.000 X 2.500 X .187 ** 30'ANGLE	204
1-0965	3.750 RD HR C-1117 18'	648	05-0140	3.0 x 2.5 x .250 x 20' ANGLE	457
1-0970	3.875 RD HR C1026 MOD *** NP	306	05-0185	3.0 x 2.5 x .375 x 40' ANGLE N/P	528
1-1040	4.500 RD HR C-1117 20'	477	05-0480	3.5 x 3.0 x .500 x 40' ANGLE	9384
1-1125	5.500 RD HR C-1045 18/20	790	05-0495	3.5 X 3.5 X .250 X 20' ANGLE	16
1-1182	6.500 RD HR C-1541 18/19	2098	05-0496	3.5 X 3.5 X .250 GLV L N/P	82
1-1230	7.250 RD HR C1018 19/20	185	05-0960	5.0 X 3.5 X .250 X 20' ANGLE	140
1-1284	9.750 RD HR C1045 20'	225	05-0185	3.5 x 2.5 x .375 x 40' L NP	528
1-1370	.875 SQ HR M-1020 20'	1092	05-1121	6.0 X 4.0 X .625 X 40' ANGLE	4632
			05-1320	8.0 x 6.0 x 1.00 x 10' ANGLE	480
Item #	Description - Strip & Coil	Wt.	Item #	Description - Beams	Ft.
2-0080	.125 X .500 ME HR A36 N/P	871	07-0247	M 6 x 4.4# JR BEAM * 2-40'	80
2-0120	.125 X .750 ME HR N/P 20'	3250	07-0251	W 6 X 9.0# * 1-10' 1-20'	30
2-0165	.125 x 1.250 PO HR STRIP 20' ***	476	07-0370	M 10 X 9.0# * JR BEAM 25'	25
2-0500	.187 x .500 PO HR N/P **	3475	07-0378	W 10 x 19.0# 50'	9785
2-0605	.187 X 1.125 PO HR STRIP 20'	6398	07-0385	W 10 X 45.0# 1-9'	9
2-0660	.187 X 1.500 ME HR A569 20' **	136	07-0427	W12 x 45.0# 5-30'	150
2-0700	.187 x 2 ME HR **	22	07-0455	W12 x 45.0# 1-12'	12
2-0760	.187 X 2.750 HR STR 16'	56	07-0456	W 14 X 30.0# 1-8 FT, 1-13FT, 1-14'	35
2-0788	.187 X 4.000 HR STR NP 20	102	07-0467	W 16 X 45.0# 1-8.5FT	8
			07-0476	W18 x 35.90# 7-50'	350
Item #	Description - Hot Roll Flat Bar	Wt.	Item #	Description - Tubing, Carbon	FEET
3-0220	.250 x 1.625 HR FL 20'	75	58-0101	.750 OD X .049 W CREW 20'	32
3-0300	.250 x 1.140 HR FL 20' N/P	833	58-0090	.875 OD X .065 W CREW 11'	2717
3-0330	.250 x 2.750 HR FL 20'	4577	58-1001	1.000 OD X .0650w Galv R/L	20
3-0442	.250 x 4.500 HR FL 20'	7781	58-0378	3.000 OD X .065 W CREW 20'	20
3-0740	.375 x .750 HR FL 20'	461	58-0119	1.250 OD X .095 W HREW *** R/L	31
3-1250	.500 x 3.250 HR FL 20'	6079	58-0126	1.500 OD X .035 W CREW N/P	20397
3-1262	.500 x 3.750 HR FL 20'	127	58-1175	4.500 OD x .156 w Tube 42'	2232
3-1400	.625 x 1.000 HR FL 20'	41	58-0500	.625 X .625 X #16W R/L	242
3-1480	.625 x 2.250 HR FL 20'	5552	58-0516	.750 X .750 X #14W P&O *N/P	20
3-1530	.625 x 3.500 HR FL 20'	6775	58-0632	2.000 X 2.00 x #16W TUBE A500 24' *	3010
3-1540	.625 x 4.500 HR FL 20'	2830	58-0848	5.000 X 5.00 X .313W ST 24'	24
3-1575	.750 X .875 HR FL 68"	32	58-0851	5.000 X 5.00 X .313W ST 40'	161
	.875 x 2.000 HR FL 20' N/P *	215	58-0854	5.000 X 5.00 X .500 w ST 48'	120
03-1923	.875 X 2.500 HR FL 20' N/P	405	58-0869	7.000 X 7.00 X .250W ST 40'	356
	.875 x 3.000 HR FL 20'	4259	58-0878	8.000 x 8.00 x .313w ST n/p	6
	.875 x 3.250 HR FL 20'	8691	58-0833	10.00 X 10.0 X .500w	21
03-1932	.875 X 4.000 HR FL 20' NP	25	58-0886	1.000 X .500 X #16w ST NP	60
	1.250 x 4.000 HR FL 20'	153	58-0889	1.500 x .750 x #16W ST	5
	1.250 x 5.50 HR FL 20'	3732	58-0891	1.500 x 1.00 x .065w R/L	137
03-2300	1.500 X 2.250 HR FL 20'	11293	58-1069	3 x 2 x .250 w St * R/L	35
	1.500 x 5.500 HR FL 20'	4691	58-1098	6 x 4 x .312w St 40'	356
03-2460	1.750 X 5.000 HR FL 20'	555	58-1125	5 x 2.5 x .125w R/L	60
	2.0000 x 2.250 HR FL 20' M-1020	10409	48-1139	10 x 10 x .375w 40'	120
	2.000 x 4.000 HR FL 20' *	4677	58-1192	1.25 SCH 10 A500 Tube	384
Item #	Description - Tubing, DOM	FEET	Item #	Description - Pipe, Carbon	FEET
58-0087	.875 OD X .095 W DOM ST 16'	22	58-1995	.25 SCH 40 GLV PIPE 21'	210
58-0111	1.062 OD X .120 W DOM ST	11	58-1238	1.50 SCH 10 BLK PIPE 21'	21
58-0124	1.25 OD X .095 W DOM ST	34	58-1229	2.00 SCH 40 BLK PIPE 21' *	309
58-0165	1.625 OD X .188 W DOM ST R/L	24	58-2015	4.00 SCH 160 BLK PIPE	10
58-0180	1.75 OD X .083 W DOM ST	14			
58-0251	2.00 OD X .188 W DOM ST N/P	15			
58-0395	3.12 OD X .312 W DOM ST	22			
SHEET & PLATE					
Item #	Description - Sheets	Wt.	Item #	Description - Plates, Abrasive Resistant	Wt.
08-1448	10 GA x 60 x 120 HR PO **	2813	11-0088	.187 X random 400F HDWE	259
	11 GA x 48 x 120 HR	811	11-0100	.207 x random A242 Corten	153
08-2970	12 GA X 48 X 120 HR, ASTM A607 G50	18884	11-0118	.187 X random 210B A/R MED	242
	13 GA x 36 x 120 HR P&O	3376	11-0147	.187 X 72 X 119 AR-400F	244
08-3010	12 GA X 48 X 144 HR, ASTM A1011	630	11-0158	.187 x random AR-400	273
00-0008	14 GA x 48 x 96 HR P&O *	700	11-0154	.187 x 36 x 120 Hardox 500 **	223
	14 GA X 48 X 120 HR **	3125	11-0530	.375 X random WEARFORM 500	124
09-0500	12 GA X 48 X 96 CR **	1055	11-0965	.500 X random AR-220 N/P	278
09-0600	12 GA x 60 x 120 CR	438	11-1684	1.000 x random AR-360	1992
09-0970	13 GA x 60 x 120 CR	2052	11-0831	.454 x random C17/M74	302
09-1150	14 GA X 36 X 120 CR, ASTM A1008	4626	11-2050	1.250 X random HARDOX AR400	2011
09-1635	16 GA x 48 x 120 CR, ASTM A606 Ty 4	600	11-2055	1.250 X 60 X 84 HARDOX AR500	1776
09-1700	16 GA x 60 x 96 CR	100	11-2367	1.500 X random HARDOX AR400	1362
	28 GA X 27 X 120 CR	720	11-2709	2.000 X 37 X 86 A/R N/P	2476

STAINLESS, TOOL STEEL & ALLOY						
Item #	Description - Stainless, ROUNDS	Wt.		Item #	Description - Stainless, SHEETS	Wt.
17-1040	.875 RD SS-316/L 12'	563		23-0050	7 GA X random SS-304 2B	15
17-1220	1.125 RD SS-304/L 12'	42		23-0113	11 GA X random SS-347 NP	36
17-1365	1.437 RD SS-303 10'	56		23-0212	11 GA X 60 X 120 SS-304 #8 *** NP	407
17-1415	1.500 RD SS-410 12'	74		23-0210	11 GA x 48 x 120 SS-304 #3	202
17-1422	1.500 RD SS-440C 13/14	103		23-0112	11 GA X 48 X 48 SS-310	86
17-1426	1.625 RD SS-316/316L 11'	40		23-0223	12 GA X 48 X 120 SS-304 #4	177
17-1425	1.625 RD SS-304/L	87		23-0239	13 GA X 28 X 78 UN-17-4MO NP	163
17-1540	1.875 RD SS-303 RL	67		23-0484	14 GA X 48 X 120 SS-430 #4 PVC	834
17-1655	2.437 RD SS-304 NP	20		23-0483	14 GA X 48 X 120 SS-304 Brt Anneal	157
17-1683	3.000 RD SS-416 NP	122		23-0590	16 GA X random SS-410 2D	48
17-1695	3.250 RD NITRONIC 60	41		23-0750	16 GA X 48 X 120 SS-304 Brt Anneal	2432
17-1693	3.250 RD SS-416	195		23-0863	18 GA X 36 X 96 SS-304 #3 *	378
				23-0850	.050 X 6.25 X 96 SS-316-2B NP	785
Item #	Description - Stainless, HEX	Wt.		Item #	Description - Stainless PLATE	Wt.
18-0315	.875 HEX SS-303 12'	82		22-0052	.250 X random SS-410	29
18-0510	2.250 HEX SS-304 12'	179		22-0108	.312 X 78X143 SS316 CLAD	1064
18-0333	1.000 HEX SS-304 12'	250		22-0119	.375 X random SS-410	99
Item #	Description - Stainless, SQUARE	Wt.		Item #	Description - Stainless PLATE	Wt.
19-0042	.250 SQ SS-316 N/P	8		22-0122	.375 X random SS-304L	81
19-0080	.500 SQ SS-316 11/12	40		22-0129	.625 X Random SS-316L	322
19-0110	.750 SQ SS-304 12/13	84		22-0128	.625 X random SS-410	387
				22-0145	1.250 X random SS-304/304L	61
Item #	Description - Stainless Flat Bars	Wt.		Item #	Description - Tubing, STAINLESS	FEET
20-0050	.125 X .750 SS-316L 12'	11		58-0009	.250 OD X .028 W SML SS-304	15
20-0414	.250 X 5.500 SS-309 7'	92		58-0067	.625 OD X .049 W WLD SS-304	72
20-0515	.375 X 6.500 SS-309 3'	32		58-0086	.625 OD X .049 W WLD SS-316 BRT	340
20-0530	.500 X 1.250 SS-304/L	81		58-0364	2.50 OD X .750 W SML SS-304	6
20-0540	.500 X 1.500 SS-304	143		58-0419	3.75 OD X .750 W SML SS-304	15
20-0555	.500 X 1.750 SS-304 3.8'	48		58-0422	3.75 OD X 1.000 W SML SS-304	9
20-0570	.500 X 2.000 SS-316L N/P	270		58-0423	4.00 OD X .065W *NP SS-304	5
20-0635	.750 X 2.500 SS-304/L	39		58-0425	3.75 OD X .065 W Stainless	36
20-0638	.750 X 3.500 SS-304 1.5'	7		58-0433	4.25 OD X .069 W Stainless	26
20-0637	.750 X 4.00 SS-304 R/L	221		58-0496	.500 x .500 X #16W SS-304	11
				58-0539	1.00 X 1.00 X #16W SS-304 20'	60
Item #	Description - Stainless ANGLE	Wt.		Item #	Description - Tubing, STAINLESS	FEET
21-0085	1.250 X 1.250 X.125 L SS316L	8		58-0541	1.00 X 1.00 X #16W SS-304 180 Polish 2	120
21-0265	2.500 X 2.500 X.187 L SS304	86		58-0634	2.00 X 2.00 X #16w SS-304* 20'	209
21-0310	4.000 X 3.000 X.375 L SS304 24'	518		58-1042	3 x 2 x #11w SS-304 R/L	13
				58-1074	4 x 2 x .180w SS-304	10
Item #	Description - TOOL STEEL PLATE & FLAT	Wt.		Item #	Description - Pipe, STAINLESS	FEET
49-0400	DCF 1.625 RD O1 Tool Steel	76		58-1960	.375 SCH40 SS304 PIPE	8
49-1480	DCF 2.500 SQ O1 Tool Steel	45		58-1226	.750 SCH 40 SS304 SML	10
49-2360	.500 x 2.500 O1 Tool Steel	29		58-1700	6.000 SCH 5 SS304 PIPE	4
49-3120	.750 X 1.500 O1 TL STL 7'	28		58-1800	8.000 SCH 5 SS304 PIPE N/P	10
49-3240	.750 X 3.000 O1 TL STL 6/8	88		Item #	Description -ALLOY ROUNDS & SQ	Wt.
49-3800	.875 X 22 X 72 O1 TL STL 6.6'	199		52-3125	HR .750 RD 4140/4142 HT 20RL	44
49-6500	4.00 X 34 x 56 O1 TL STL	1798		52-4076	CF 1.062 RD 4140 A NP	74
54-5200	.812 X 1.687 T15 9/10	102		52-3245	** 1.500 RD 4140 HT 280/320	107
50-5600	1.000 X random A6 TL STL	74		52-4115	CF 1.312 RD 4140 HT 7.8'	33
50-5605	1.250 x 32 x 72 A6 TL STL	1516		52-4235	CF 2.000 RD 8620 10/13	875
50-5610	1.500 X 32 X 72 A6 TL STL	1020		52-4275	CF 2.250 RD 8620 10/13	248
50-5620	1.750 X random A6 TL N/P	505		52-5150	CF 2.000 HEX 4140A	59
50-5660	2.500 X random A6 TL ST N/P	579		52-6010	CF .500 SQ 4140A R/L	33
50-6560	1.125 x 12.75 P20 TL STL	90				
56-2950	3.000 X 5.000 A4 4.8'	246		Item #	Description TOOL STEEL RDS & SQ	Wt.
50-7480	3.125 X 12 X RL P20 TL STL	289		49-0100	DCF .500 RD O1 TL STL 12/13	42
50-8340	1.250 x 32 x 72 420 ESR	324		49-0180	DCF .750 RD O1 TL STL 12'RL	83
50-8343	1.364 X 32 X 72 420 ESR	929		49-0400	DCF 1.625 RD O1 TL STL 10'	76
50-8345	1.375 x 32 x 77 420 ESR	1034		49-0540	DCF 2.500 RD O1 TL STL 9.5'	141
50-8346	1.575 x 42 x 72 420 ESR	979		49-0740	DCF 4.000 RD O1 TL STL 12'RL	326
50-8360	1.750 X 32 X 72 420 ESR	1392		49-1480	DCF 2.500 SQ O1 TL STL 2'	45
50-8390	3.000 X random 420 ESR	576		50-5940	HT 3.00 RD P20 TL STL 12/14	31
50-8400	3.500 X Random 420 ESR	203		51-0180	DCF 1.000 RD D2 TL STL	95
54-1960	.625 X 4.125 FLAT M2 4'	38		51-1395	187 x 24.5 x 72 D2 HR&Oiled	291
Item #	Description - ALLOY PLATE & FLAT	Wt.		51-1400	.224 x 18.25 x72 D2 HR & Oiled	1610
52-1290	1.000 X 4.750 HR 4140A NP	123		51-8280	.875 X 33 x 72 S7 TL STL	466
52-1320	1.000 X 36.000 * 4140 N/P	361		51-0450	DCF 2.750 RD D2 TL STL 7'	147
52-1425	1.250 X random SP-300	32		51-6100	DCF .500 RD D5 TL STL 9/13	8
52-1510	1.500 X 36* 280/320BN 4140 NP	193		53-0720	HR 1.375 RD L6 N/P 2.9'	15
52-1620	1.987 X random 4140 AS ROLL N/P	2524		53-3840	DCF 2.250 RD ANLD H13 12'	126
52-1670	2.312 X 3.000 MARSHALLOY NP	127		53-4060	RT 6.000 RD ANLD H13 2.2'	100
52-1720	2.500 X 32 X 72 SP-300	212		53-4065	RT 7.000 RD ANLD H13	554
52-2100	7.000 x 20 x 36 MARSHALLOY	1467		53-4070	RT 8.000 RD ANLD H13 5.3'	796
				53-4072	DCF 8.250 RD ANLD H13	807
				53-4075	RT 8.500 RD ANLD H13 R/L	814
				54-2900	1.000 SQ NON TEMP 11/13 NP	207
				54-5200	.812 x 1.687 Flat T15	102
				55-0140	HR 1.000 RD S1 TL STL 8.9'	24
				55-0380	HR 2.500 RD S1 TL STL 10/12	187
				55-4360	HR 1.500 RD W1 9'	57
				55-4361	1.750 RD W2 10'	88
				56-2950	3 x 5 flat A4	246

		METAL: ALUMINUM & BRASS			
Item #	Description - Aluminum PLATES	Wt.	Item #	Description - Aluminum SHEETS	Wt.
25-0020	.250 X random AL 2024-T351	105	24-0240	.032 X 48 X 120 AL STUCCO	18
25-0055	.250 X random AL Cast * N/P	586	24-0280	.032 x RANDOM ** 2024-T3A	22
25-0115	.312 X 48 X 144 AL CAST *	2977	24-0580	.050 X random AL 3003-H14	14
25-0125	.312 X 48 X 144 AL 2024-T351	418	24-0600	.050 X random AL 3003-H14	35
25-0569	1.000 X random AL CAST *	185	24-1033	.100 X random AL**5052-H32	9
25-0562	1.000 X random AL CAST *	288	24-1295	.190 X 48 X 127 AL 1100-H14	234
25-0580	1.250 X random AL 2024-T351	242	24-1300	.190 X 48 X 144 AL 2024-T3B	88
25-0800	.125 X random TREAD 6061-T6	13			
25-0818	.125 X random TREAD 6061-T6	26			
Item #	Description - Aluminum SQUARES	Wt.	Item #	Description - Aluminum CHANNEL	Wt.
28-0320	1.500 SQ AL 2024-T4 12'	33	30-0407	.750 X 1.000 X .125 AL CH NO GRADE	30
28-0340	3.000 SQ AL 2024-T4 57"	52	30-0550	1.375 X .750 X .080 NO GRADE	66
			30-0552	1.500 X .500 X .125 NO GRADE	4
			30-0555	1.500 X 1.000 X .125 NO GRADE	6
			30-0557	1.750 X .375 X .079 NO GRADE	4
Item #	Description - Aluminum FLAT BAR	Wt.	Item #	Description - Aluminum CHANNEL	Wt.
29-0198	.125 x 7.000 AL No Grade	104	30-0558	1.750 X .375 X .125 NO GRADE	5
29-0200	.187 x .500 AL 6063-T52	14	30-0565	1.750 X 1.000 X .125 6063-T5	26
29-0280	.187 X 1.000 AL 2024-T4 12'	24	30-0590	2.000 X 1.000 X .125 6063 2.9'	10
29-0370	.250 X .625 AL 2024-T4 12'	5	30-0597	2.250 X .687 X .125 NO GRADE	35
29-0380	.250 X .750 AL 2024-T4 12'	21	30-0800	2.000 X .750 X .079 NO GRADE	2
29-0390	.250 X .750 EX 6063-T5 16'	18	30-0810	2.000 X .750 X .079 SPEC NO GRADE	2
29-0420	.250 X 1.250 AL 2024-T4 10.5'	4	31-0080	1.000 X .500 X .125 CH 16'	7
29-0500	.250 X 2.000 AL 2024-T4 12'	7	31-0140	.750 X .375 X .125 CH 16'	33
29-0575	.250 X 3.000 AL 2024-T4 12'	9	31-0145	.500 X .500 X .094 CH 16'	11
29-0830	.375 X 4.000 AL 2024-T4 7.6'	14	31-0150	.750 X .750 X .125 CH 16'	12
29-0836	.375 X 4.625 AL NP NO GRADE	18	31-0920	2.375 X 2.000 X .187 FLG CH N/P	88
29-0860	.500 X .750 AL 2024-T4 11'	1	30-0460	10.00 X 8.640# CHAN 6061 10'	89
29-0900	.500 X 1.000 AL 2024-T4 12'	6	30-0650	5.00 X 3.970# CHAN 6061 25'	42
29-0912	.500 X 1.000 AL 7075-T6 12'	29			
29-0914	.500 X 1.250 AL 2024-T4 12'	7	Item #	Description - Aluminum ROUNDS	Wt.
29-0980	.500 X 3.000 AL 2024-T4 12'	73	26-0060	.125 RD AL 2024-T4 12'	12
29-1025	.500 X 4.000 AL 2024-T4 12'	26	26-0100	.156 RD AL 2011-T3 N/P 12'	2
29-1035	.500 X 4.000 AL 7075-T651 9'	22	26-0140	.187 RD AL 2024-T4 12'	11
29-1045	.500 X 6.000 AL 2024-T4 83"	25	26-0240	.250 RD AL 2024-T4 12'	11
29-1110	.625 x 2.000 EX 6061-T651	105	26-0300	.312 RD AL 2011-T3 **	54
29-1345	1.000 x 1.750 EX 6061-T6 12'	25	26-0380	.375 RD AL 2011-T3 12'	13
29-1320	1.000 X 1.500 AL 2024-T4 12'	16	26-0460	.437 RD AL 2011-T3	1
29-1350	1.000 X 2.000 AL 2024-T4 N/P 4'	10	26-0520	.500 RD AL 2011-T3 12'	5
29-1375	1.000 X 2.500 AL 2024-T4 N/P 3.4'	12	26-0780	.625 RD AL 2024-T4 12'	6
29-1440	1.500 x 1.750 AL 6062-T6511	97	26-1060	.875 RD AL 2024-T4	7
29-1470	1.500 X 2.500 AL 2024-T4 N/P 6'	28	26-1720	1.750 RD AL 2011-T3 12'	52
29-1495	1.500 x 5.000 AL 6061-T6 12'	1034	26-1740	1.750 RD AL 2024-T4 12'	52
			26-2060	2.500 RD AL 2024-T4 12'	70
			26-2680	6.000 RD AL 2024-T4 NP* 12'	832
Item #	Description - Aluminum ANGLE	Wt.	Item #	Description - Aluminum HEX	Wt.
30-0285	1.50 X 1.25 X.187 6061 8.7'	2	27-0220	.500 HEX AL 6061-T6 CF 12'	6
30-0510	8.0 X 6.350# I BEAM 6061 25'	159	27-0320	.875 HEX AL 2017-T451 12'	10
31-0180	.625 .625 x .125 CH 16'	20			
30-0550	1.375 X.750 X.080 CHANNEL NO GRADE	66	Item #	Description - Aluminum I BEAM & T	Wt.
30-0552	1.5 X.50 X.125 CHANNEL NO GRADE	4	30-0500	6.0 X 4.300# I BEAM 6061 25'	158
30-0555	1.5 X 1 X.125 CHANNEL NO GRADE	6	30-0510	8.0 X 6.350# I BEAM 6061 25'	159
30-0557	1.75 X.375 X.079 CHANNEL NO GRADE	4	30-0518	1.5 X 1.5 X.211 TEE 6061 22'	100
30-0558	1.75 X.375 X.125 CHANNEL NO GRADE	5	31-0400	1.0 X 1.0 X.125 TEE 16'	4
30-0565	1.75 X 1 X.125 CH 6063-T5	13			
30-0597	2.25 X.687 X.125 CHANNEL NO GRADE	35			
30-0800	2 X.750 X.079 CHANNEL NO GRADE	2			
30-0810	2 X.75 X.079 SPEC CHANNEL NO GRADE	2			
31-0042	1.50 X 1.50 X.187 L 16'	60			
31-0071	1.25 X .50 X.125 L NP 16'	53			
31-0290	.50 X 1.00 X.125 L 16'	4			
31-0300	1.00 X .75 X.125 L 16'	12			
31-0480	4.00 X 2.00 X.125 L 16'	14	Item #	Description - BRASS	Wt.
Item #	Description - Aluminum TUBE & PIPE	Fl.	38-0020	.75 X .75 X .125 L ANGLE	15
32-0240	.750 OD X .065 W 6061 12'	12	38-0060	1.250 X 1.250X .125 ANGLE	5
32-0250	.812 OD X .125 W NO GRD 8'	8	38-0080	1.500 X 1.500X .187 ANGLE	5
32-0520	2.750 OD X .250 W 6061 6.4'	15	38-0090	1.50 X 1.50 X.250 ANGLE	125
32-0560	3.25 OD X .375W NO GRADE	5	38-0100	2.00 X 2.00 X.250 ANGLE	27
32-0575	3.50 OD X .250W 6061'	22	40-0165	.040 X 36 X 96 HH BRASS	53
32-0689	.75 SQ X .057W SPEC ID NO GRADE	926	40-0275	.080 X 36 X 96 HH BRASS	50
32-0715	1.500 SQ X .062 W 6063**24'	24	40-0360	.187 X 36 X 81 HH BRASS	28
32-0735	2.000 SQ X .125 W 6061 21'	24	40-0430	.500 X 36 X 96 HH BRASS	298
32-0786	1 X .500 X .125W NOGRADE	10			
32-0819	4 X 2.00 X .125W NO GRADE	5			
32-0829	6 X 3.00 X .188W 6063 3.6'	14			
32-0885	SCH 40 1.25 AL PIPE 6063*20'	18			
32-0932	SCH 80 2.50 AL PIPE 6061 3.7'	7			